

2014 Collection

◆ ACTUAL PLUS



KEZZI 8402
2/3/4m
100 cm x 100 cm




KEZZI 7002
2/3/4m
100 cm x 100 cm



FIONA 9179
2/3/4m
100 cm x 100 cm



ATLANTIC 7698
2/3/4m
0 cm x 0 cm



ATLANTIC 9104
2/3/4m
0 cm x 0 cm



FALCO 9359
2/3/4m
100 cm x 100 cm



FALCO 9159
2/3/4m
100 cm x 100 cm



FALCO 1159
2/3/4m
100 cm x 100 cm



SAMSON 6080
2/3/4m
100 cm x 100 cm



SAMSON 6081
2/3/4m
100 cm x 100 cm



SAMSON 8181
2/3/4m
100 cm x 100 cm



CAMEO 3400
2/3/4m
100 cm x 100 cm

2014 Collection

◆ ACTUAL PLUS



CAMEO 3600

2/3/4m

100 cm x 100 cm

2014 Collection

◆ ACTUAL PLUS



◆ Product Information

	Norm	Symbol	
Usage classification	EN ISO 10874 EN 685		22
Wear layer	EN ISO 24340 EN 429		0,20 mm
Total thickness	EN ISO 24346 EN 428		2,80 mm
Total weight	EN ISO 23997 EN 430		1530 gr/m ²
Standard length	EN ISO 24341 EN 426		15 - 25 m

◆ Technical Information

	Norm	Symbol	
Light stability	EN ISO 105 B02		≥ 6 - 7
Dimensional Stability	EN ISO 23999 EN 434		≤ 0, 40%
Underfloor heating	EN 12667		Suitable
Residual Indentation	EN ISO 24343-2 EN 433		≤ 0,35 mm
Impact Sound	EN ISO 717/2		16 dB
Reaction to fire	EN 13501-1		Bfl/S1
Slip resistance	DIN 51130		R10
Dynamic coefficient of friction	EN 13893		> 0,6